## **Weather Crop Report**

Week ending March 26, 2006

## Released: March 27, 2006 4:00 pm

Access our reports
Via the internet at
www.nass.usda.gov/fl



United States
Department
Of Agriculture



National Agricultural Statistics Service

Florida Field Office

Benjamin F. Klugh. Jr. Director 407/648-6013

Florida Department of Agriculture and Consumer Services, Division of Marketing and Development

## SCATTERED RAIN DOES LITTLE MORE THAN SETTLE DUST

WEATHER SUMMARY: Scattered rains over some Peninsula and Panhandle areas brought minor relief to dry conditions during the week of March 20 through 26. Most central Peninsula localities received only traces of rain or recorded no measurable rain for the week with the probability for wild fire outbreaks increasing. The rain storms, especially those crossing the southern Peninsula, spawned tornadoes with some damage occurring. No rain was reported at Avalon, Brooksville, Dover, Okahumpka, and Tampa; almost two inches were received at Alachua, Immokalee and West Palm Beach. Daily temperatures at the major stations averaged from four degrees below normal at Jacksonville to one degree above at West Palm Beach. Daytime highs averaged in the 70s and 80s. Nighttime lows averaged in the 40s, 50s and 60s with several northern and central Peninsula and most Panhandle localities recording at least one low in the 30s. Cold temperatures brought freezes and frost to some Panhandle and northern Peninsula localities at the end of the week.

**FIELD CROPS:** Producers are assessing cold temperature damage to recent corn plantings with only light frosts reported for some Panhandle areas. Corn planting remained active in the Panhandle and northern Peninsula including a small acreage planted in Taylor County. Sugarcane harvesting continued to slow seasonally around Lake Okeechobee with most mills closed. Although the late week rains slightly increased topsoil moisture, dry conditions following the rain rapidly depleted supplies. Nearly all localities, statewide, need more rain. Most soil moisture is short to adequate. Washington, Okeechobee, Lee and Palm Beach counties reported spots of very short moisture.

Moisture	Topsoil			Subsoil		
Rating	This week	Last week	Last year	This week	Last week	Last Year
	Percent					
Very short	30	17	1	11	8	1
Short	43	45	4	45	42	5
Adequate	27	38	67	44	50	75
Surplus	0	0	28	0	0	19

**VEGETABLES:** Strong winds tossed plants and wind borne sand bruised some fruit when storms passed over southern Peninsula growing areas near the end of the week. However, no significant damage was reported. The rains washed away some pesticides but fields dried quickly after the storms and that may limit any increase in disease. Tomato transplanting for the spring crop harvest is underway around Quincy with recent cool temperatures causing no significant damage to the small plants. Tomato transplanting in the Quincy area is expected to continue through mid-April. Strawberry growers are starting to open fields to the U-Pick market as production in other states increases. Recent hot temperatures hindered berry development. Other vegetables and non-citrus fruit harvested during the week included snap beans, cabbage, celery, cucumbers, eggplant, endive, escarole, lettuce, potatoes, peppers, radishes, squash, sweet corn and tomatoes.

LIVESTOCK AND PASTURES: In the Panhandle and north, drought and near freezing temperatures have slowed grass growth. Pasture condition is poor to fair. Most of the cattle are in fair condition. Pasture condition in the Big Bend area is poor to fair, with the condition a little better at locations that received light showers. Pasture condition in the southwest is poor to good, with most in poor condition. Drought is limiting grass growth. Cattle condition is mostly good. Statewide, cattle condition ranges from poor to good with most in fair condition.

	Ca	ttle	Pasture				
Condition	This week	Last week	This week	Last week			
Percent							
Very poor	0	0	0	5			
Poor	10	5	35	10			
Fair	55	35	50	60			
Good	35	60	15	25			
Excellent	0	0	0	0			

CITRUS: Daytime temperatures were above average the beginning of the week reaching the mid 80s in all areas, and then cooling down over the weekend. Rainfall was minor in all areas except Immokalee, which had almost two inches on Wednesday. Most areas are still dry due to lack of rain for the past several weeks. Growers and caretakers are irrigating, fertilizing and applying nutritional sprays. Trees reached full bloom, with varieties progressing uniformly throughout the State. Early midseason harvest is almost over for the season, dropping off rapidly the last two weeks. Valencia harvesting has picked up significantly the last couple of weeks; however, weekly levels are not as high as last season. About nine processing plants are now open. Grapefruit harvest is still fairly strong, with the majority of both colored and white going to processing. Honey tangerine utilization is running about between 100,000 to 150,000 boxes a week being picked primarily for the fresh market, while the majority of Temples being picked are going to processing.

ESTIMATED BOXES HARVESTED - WEEK ENDED								
EGIIMATED BOXEG HARVESTED - WEEK ENDED								
Crop	Mar 12	Mar 19	Mar 26					
	In thousands of 1-3/5 bushel boxes							
Navel oranges	11	6	2					
Early and Mid oranges	2,570	1,132	365					
Valencia	906	1,922	3,169					
Grapefruit	1,003	939	1,060					
Honey Tangerines	140	142	122					
Tangelos	8	3	1					
Temples	24	54	100					

We are encouraging all subscribers of this report to consider receiving it by email. To do so, log onto: <a href="http://www.nass.usda.gov/Statistics">http://www.nass.usda.gov/Statistics</a> by State/Florida/Subscribe to FL Reports/index.asp Select Florida Crop-Weather. Enter your first and last name. Enter your Email address. Click on Subscribe. The report will be sent automatically each week. Or you may call us at 800/344-6277 and we will enter your subscription for you.