

United States Department of Agriculture National Agricultural Statistics Service

FLORIDA CROP PROGRESS & CONDITION REPORT



In cooperation with the Florida Department of Agriculture & Consumer Services and the UF/IFAS Extension Service 2290 Lucien Way, Suite 300, Maitland, FL 32751 · (407) 648-6013 · (407) 648-6029 FAX · www.nass.usda.gov/fl

Released: April 29, 2013 (4 PM EST) Week Ending: April 28, 2013

Spring Planting Making Good Progress

Weather Summary: Very little rain was received throughout the State. According to Florida's Automated Weather Network (FAWN), three locations reported one inch of rain for the week. Minimum temperatures ranged from 47 degrees in MacClenny to 67 degrees in Fort Lauderdale. Maximum temperatures ranged from 80 degrees in Jay to 90 degrees in Bronson.


Soil Moisture Ratings

Maiatura	Topsoil			
Moisture Rating	Previous week	Previous year	Current week	
	(percent)	(percent)	(percent)	
Very short	4	16	4	
Short	29	49	37	
Adequate	64	35	57	
Surplus	3	0	2	

Field Crops: Peanuts, corn, and cotton were being planted in the Panhandle and north Florida. Sugarcane harvest was completed.


Fruits & Vegetables: Farmers in the Panhandle were planting sweet corn, cantaloupe, tomatoes, peas, and watermelon. Strawberry harvest in the Panhandle was almost complete. Vegetable planting also continued in the southern part of the Florida. Miami-Dade County reported harvesting of cabbage, sweet corn, green beans, and sweet potatoes. Vegetables marketed included beans, cabbage, sweet corn, cucumbers, eggplant, escarole, greens, iceberg lettuce, Romaine lettuce, parsley, peppers, potatoes, radishes, squash, tomatoes, cherry tomatoes, plum tomatoes, and watermelons.

Precipitation (in)-Florida: April 22-28, 2013





U.S. Drought Monitor-Florida: April 23, 2013



D2 Drought - Severe

Livestock and Pastures: Statewide, the pasture condition was mostly fair. Drought was the limiting factor hindering forage growth. In the Panhandle, the pastures and cattle were in good condition. In the northern area, the pastures were in fair condition and cattle were in good condition. In the central area, the pastures and cattle were in fair condition. In the southwest area, the pastures and cattle were in fair condition.

Cattle and Pasture Condition

	Cattle		Pasture	
Condition	Previous week	Current week	Previous week	Current week
	(percent)	(percent)	(percent)	(percent)
Very poor	1	1	3	1
Poor	15	9	25	20
Fair	55	60	50	60
Good	25	25	19	17
Excellent	4	5	3	2

Citrus: Seasonal daily high temperatures were in the upper 80s. Rainfall was widespread and light. All but two of the 25 FAWN stations in the citrus area recorded some precipitation last week. Five stations recorded more than a quarter of an inch of rain, two recorded more than a half. North Port, with recorded rainfall of 1.23 inches, was the station with the most recorded precipitation. Citra and Belle Glade received no measurable precipitation. Drought measurements as per the U.S. Drought Monitor, last updated April 16, 2013, indicated that the drought in the citrus growing region lessened in the central, southern, and Indian River growing areas. The southern area was almost completely drought free. Growers were irrigating one to two times a week to keep moisture in the ground and on the trees. The Valencia harvest was running full steam. Other grove activity included general grove maintenance and fertilizer application. Twenty-eight packinghouses and 14 processors were open and shipping. Shipment of fresh fruit was moderate. Varieties being packed primarily included Valencias and colored grapefruit.

Citrus Estimated Boxes Harvested

[In thousands of 1-3/5 bushel boxes]

Cran	For week ending:			
Crop	Apr 14, 2013	Apr 21, 2013	April 28, 2013	
	(boxes)	(boxes)	(boxes)	
Valencia	4,823	5,621	5,788	
Navel oranges	2	1	2	
White grapefruit	233	205	236	
Red grapefruit	249	335	229	
Temples	1	0	0	
Honey tangerines	14	13	5	
Total	5,322	6,175	6,260	

To subscribe to this report, at no cost, go to the NASS website at http://www.nass.usda.gov/Statistics by State/Florida/Subscribe to FL Reports/index.asp. Complete the Subscribe to FL Reports form, select Florida Crop-Weather and enter your first and last name and your e-mail. The precipitation map used in this report is from the Southeast Regional Climate Center (SERCC) website at http://www.sercc.com/climateinfo/precip maps. The drought monitor map used in this report is from the U.S. Drought Monitor website at http://droughtmonitor.unl.edu maintained by the National Drought Mitigation Center. The precipitation and temperature data is from the Florida Automated Weather Network (FAWN) at http://fawn.ifas.ufl.edu maintained by UF/IFAS Information Technologies.