

New England Agricultural Statistics



Aubrey R. Davis, Director Phone: 603-224-9639 Fax: 603-225-1434 www.usda.gov/nass

22 Bridge Street P.O. Box 1444 Concord. NH 03302

Volume 25, Number 5

A field office of the National Agricultural Statistics Service United States Department of Agriculture

Crop Weather

(Issued weekly on the internet, May - October)

May 31, 2005 – 4 pm

For week ending 5/29/05

Sunshine???

GENERAL CONDITIONS: For the week ending May 29, 2005, there were 3.4 days suitable for fieldwork. Topsoil moisture was rated 2% short, 53% adequate, 45% surplus. Subsoil moisture was rated 9% short, 47% adequate, 44% surplus. Pasture condition was rated 2% poor, 19% fair, 61% good, and 18% excellent. Cool, cloudy and wet conditions continued through Friday. Warmer temperatures arrived for the weekend with some sun and scattered thunderstorms throughout New England. Warm, sunny days are needed to improve conditions for all crops in New England. The month of May was very wet and colder than normal and farmers are concerned about replanting crops in wet fields. Growers were hoping for an extended season to help crops reach full potential. Major farm activities: chopped grass silage, baled hay, planted and tilled field crops, spread manure and fertilizer on fields, repaired equipment, harvested asparagus, spinach, and rhubarb, planted warm weather vegetables, sprayed protective fungicides on fruit trees, and pulled bees from orchards.

FRUIT: Poor pollination conditions continued to hinder bee activity in orchards. Orchardists applied petal fall and protective fungicide sprays when conditions permitted. Cranberry development was up to two weeks behind schedule due to prolonged cool, rainy conditions. Strawberries remained in bud stage in Maine; early bloom to petal fall elsewhere. Blight disease was seen in some raspberry fields in New Hampshire.

FRUIT CROP DEVELOPMENT ACROSS NEW ENGLAND

11011 0101 P212201 M2111 71011000 11211 211027 1112								
Crop	Stage	Fruit Set	Condition					
Apples	FB/PF	Ava	Good/Fair					
Peaches	PF	Avg/Below	Fair/Good					
Pears	PF	Avg/Below	Fair/Good					
Blueberries								
Highbush	Bud/FB	Avg	Good					
Wild, ME	Bud/FB	-	Good					
Cranberries,	Bud	Avg	Good					
Strawberries	Bud/PF	Below/Avg	Fair/Good					

PF = Petal Fall, FB-Full Bloom

VEGETABLES: Cooler than normal conditions forced greenhouse producers to continue to heat their facilities to keep temperature above 70 degrees. Greenhouse growers were struggling with fungal diseases such as botrytis mold caused from the cool, wet conditions. Vegetable growers started to plant warm weather transplants, sweet corn, tomatoes, and beans. Producers reported that earlier planted vegetables were not germinating due to cool soil temperatures. Farmers harvested asparagus, spinach, and rhubarb. Producers prepared fields for planting as weather permitted.

SOIL MOISTURE ACROSS NEW ENGLAND

Soil Rating	This Week	Last Week	Last Year				
	Percent						
Topsoil							
Very Short	0	0	0				
Short	2	2	1				
Adequate	53	56	67				
Surplus	45	42	32				
Subsoil							
Very Short	0	0	0				
Short	9	3	2				
Adequate	47	55	80				
Surplus	44	42	18				

FIELD CROPS: Unfavorable conditions continued to delay fieldwork yet another week and farmers were concerned about damage to crops already seeded. Warmer, sunny days are needed to enhance growth conditions. Field corn has started to emerge but color varied from yellow to brown spikes by week's end. Weed applications need to be applied once fields are dry. In northern Maine, growers continued to plant small grains as weather permitted and some grains had emerged by the end of the month. Maine potato planting progress averaged two weeks behind schedule, with soils too wet and cold to allow field entry. Hay field growth was slow and lack of sunshine and warm days had harvest behind schedule. Low first crop hay yields were projected and poor conditions expected due to over maturity. Shade tobacco transplanting neared completion, while broadleaf tobacco planting was just getting underway. Farmers persist to prepare fields by spreading manure and fertilizer, plowing, and tilling grounds.

FIELD CROP DEVELOPMENT ACROSS NEW ENGLAND

TILLD ONG			-141 /10110	00 NEW	LITOLATIO
				Percent	
Crop	2005	2004	5-yr Avg	Emerged	Condition
	P	ercent Pla	inted		
Barley, ME	55	95	85	5	N/A
Oats, ME	50	95	85	5	N/A
Potatoes					
Maine	20	95	80	-	N/A
Mass	95	95	90	25	Good
Rhode Isl	90	85	95	50	Good
Silage Corn	60	75	60	15	Fair/Good
Sweet Corn	40	65	60	25	Good/Fair
Tobacco					
Shade	90	90	65	-	Good
Broadleaf	15	20	15	-	Good/Fair
Dry Hay	Pei	cent Harv	ested		
First Cut	<5	10	10	-	Good/Fair

Weather Summary For New England Agricultural Statistics Service Prepared By AWIS, Inc.

For the Period: Monday May 23, 2005 To: Sunday May 29,2005

	TE	AIF	R RATUR	_	CUM SINCE MAR 1 GROWING DEGREE DAYS			1-WEEK PRECIP			4-WEEK CUM PRECIP			
STATION	L0	HI	AVG	 DFN	BASE TOT	-50F DFN	BASE TOT	-60F DFN	TOTAL INCHES	DFN	DAYS	TOTAL INCHES	DFN	DAYS
Maine Augusta_State_A Bangor_Intl_Arp Bethel Caribou_Municip Dover-Foxcroft Frenchville Houlton Livermore_Falls Moosehead Portland_ME	41 44 41 35 36 35 40 41 38 44	69 65 73 66 63 65 64 69 57	50 52 50 51 47 50 51 49 47	-9 -5 -8 -5 -9 -4 -5 -7 -6	69 85 50 51 22 44 60 43 18 60	- 93 - 38 - 84 - 40 - 72 - 24 - 33 - 51 - 35 - 54	1 0 2 0 0 0 0 0 0	- 13 - 8 - 9 - 5 - 4 + 0 - 6 - 4 + 0 + 2	3.41 2.95 4.05 1.24 2.66 1.02 1.42 3.87 2.59 3.40	+2.57 +2.18 +3.21 +0.54 +1.82 +0.29 +0.65 +3.00 +1.79 +2.63	6 5 7 4 7 3 6 6 7 5	17.43 12.45 21.33 11.55 13.50 8.88 12.05 19.12 13.92 19.18	+6.81 +2.56 +11.00 +3.73 +3.53 +1.15 +4.00 +8.18 +4.95 +7.91	38 31 35 42 33 41 43 36 41 36
NEW_HAMPSHIRE Benton Berlin_AG Concord Diamond_Pond Keene_AP North_Conway Rochester	41 41 43 35 45 42 40	72 70 79 61 75 75 72	51 49 52 45 52 51 49	-7 -8 -7 -7 -9 -8	46 127 11 128 66	- 103 - 88 - 53 - 47 - 117 - 90 - 115	0 1 16 0 12 6 8	-19 -14 -7 +0 -31 -11	0.85 2.92 1.93 1.76 1.26 3.16 4.08	+0.01 +2.07 +1.21 +0.79 +0.36 +2.25 +3.24	4 6 6 7 5 6 5	10.18 14.25 12.65 14.63 12.91 16.38 20.02	+1.82 +4.65 +4.01 +5.07 +3.21 +4.70 +8.13	37 33 37 51 33 38 34
VERMONT Burlington_Intl Island_Pond Montpelier Pownal Rochester Rutland_AG Sutton Townshend_Lake	47 33 46 41 42 44 38 43	72 70 73 75 75 73 70 75	55 51 53 51 52 52 50 51	-6 -4 -4 -7 -6 -9 -5	42	-69 -54 -44 -52 -67 -175 -52	17 3 16 8 4 6 2 9	- 22 - 4 - 2 - 13 - 11 - 47 - 5 - 23	0.65 1.27 0.91 1.38 1.46 0.58 1.00 1.55	-0.07 +0.36 +0.14 +0.33 +0.48 -0.26 +0.11 +0.78	5 6 5 7 7 5 6 7	6.70 9.36 9.09 11.39 12.04 7.42 10.41 11.49	-1.25 +0.84 +1.27 -1.20 +1.00 -0.84 +1.33 +1.67	35 45 40 37 34 33 47 38
MASSACHUSETTS Ashburnham Boston/Logan_In Greenfield New_Bedford Otis_AFB Plymouth Walpole Chicopee/Westov Worthington	40 44 44 45 44 42 43 35	76 78 79 75 79 77 76 77	50 53 54 53 54 52 51 54 50	-8 -10 -9 -9 -5 -8 -9 -9	147 121 183 103 160	-28 -106 -126 -150 +31 -66 -51 -119 -58	10 21 16 7 16 8 11 32 7	-1 -9 -27 -23 +8 -4 -12 -37	2.99 2.42 1.38 2.22 2.44 4.17 4.03 1.10 1.65	+2.15 +1.72 +0.47 +1.38 +1.62 +3.33 +3.26 +0.13 +0.63	7 5 6 5 5 6 6 7 7	16.04 10.53 12.32 14.56 15.39 17.47 15.67 10.52 14.15	+6.06 +0.07 +1.72 +2.70 +4.35 +5.39 +4.38 -0.80 +2.50	43 35 35 39 37 36 35 39 42
RHODE_ISLAND Providence Woonscreet	44 43	77 78	54 52	- 8 - 8	186 168	-52 -39	12 13	-12 -5	1.45 2.67	+0.62 +1.76	5 7	12.21 17.25	+0.38 +5.36	35 39
CONNECTICUT Bridgeport/Siko Hartford/Bradle Norfolk Thomaston Dam Willimantic	48 41 40 43 40	76 80 72 76 76	56 55 50 54 54	-6 -9 -8 -7	254 258 123 170 195	-31 -70 -28 -57 -32	15 32 10 14 15	-35 -32 -4 -17 -15	1.09 1.25 0.92 1.26 1.49	+0.25 +0.34 -0.13 +0.28 +0.58	7 7 7 7 5	9.62 10.74 11.42 11.90 11.33	-1.68 -0.72 -1.62 -0.54 -0.70	39 40 38 39 37

Summary based on NWS data.

DFN = Departure from Normal (Using 1961-90 Normals Period).

Precipitation (rain or melted snow/ice) in inches. Precipitation Days = Days with precip of 0.01 inch or more. Air Temperatures in Degrees Fahrenheit.

Copyright 2005. AWIS, Inc. All Rights Reserved. For detailed ag weather forecasts and data visit the AWIS home page at www.awis.com or call toll free at 1-888-798-9955.

STATE WEATHER SUMMARY

For the Week Ending Sunday, May 29, 2005

	Air	Ten	npera	tures	Precipita	tion
State	L	НІ	ΑV	DF	LO I	Н
ME	30	77	49	-7	0.75 6	.27
NH	25	79	50	-8	0.79 4	.08
VT	33	76	52	-6	0.43 1	.93
MA	35	83	52	-8	0.57 4	.95
RI	43	78	53	-7	0.47 2	.67
CT	38	80	54	-7	0.92 2	.09

Prepared by AWIS, Inc.

REPORTERS COMMENTS, By County: Reporters are from extension Service (Ext), Farm Service Agency (FSA), Natural Resources Conservation Service (NRCS), or other knowledgeable individuals.

CONNECTICUT - Howard Rood (FSA), Fairfield/Litchfield: May has been cool and wet. Hay crop is not as tall as usual. Jude Boucher (Ext), Tolland: Continued cool, wet weather all week. More drizzle and clouds than actual rain...thankfully...we don't need a repeat of the last two seasons! Lorrianne Los, Univ of Connecticut: Some apple petals were holding on until the end of the week due to very cool weather. Some growers in cooler areas were planning to apply petal fall sprays over the Memorial Day weekend. Chemical thinning of apples may be more challenging this year due to the cool weather from the past week. Ross Eddy (FSA), Hartford/Tolland: Despite frequent showers most corn planting continued with many complete. Some replanting of shade tobacco due to cold weather and plants not taking off. Broadleaf tobacco planting began but most are waiting for warmer weather. Frank Himmelstein (Ext), New London: Field corn work started in again this weekend after coming off the most unusual cold week of weather seen in May in a lifetime. Rains saturated many typically wet fields. Fields began to dry out later in the week however, localized heavy rains fell where isolated thunderstorms hit during the later part of the week. Corn began emerging in fields where it was planted more than two to three weeks ago. We will soon be able to tell what areas need replanting. Overall May was not good for growing conditions with the average temp well below what is needed for good crop growth. A good heat wave and a long fall will be needed to make up for this month. Corn being planted now may actually do better than what was planted earlier especially on wet fields. Dawn Pindell (FSA), Windham: Sinking in wet soils, 3rd coldest May in 100 years, Nor'easter dropped a few inches of rain, high winds took some trees down, 40 degrees all day on Wednesday, brr!! Diesel fuel is high, stoking the furnace to keep greenhouses above 70 degrees. Corn that's up is wet, needs sunlight and heat, pollination concerns, chemical thinning held up in orchards due to less than 70 degree weather and waiting for proper fruit size. Optimistic farmers trying to hay. Karen Vozarik (FSA), New Haven: Another Nor'easter this week. Temps in the 40's. Weather was cool, windy and rainy. Heavy rains at night. Corn is up and looks good. Strawberries will be late, cool weather has slowed everything down. Hay is being cut. Joyce Meader (Ext), Windham: Corn and weeds are emerging. Time for early post emergence weed control, if the wet fields allow equipment! Custom spray applicators will be under pressure to cover lots of ground after a week of rain. Richard Meinert (Ext), CT Cooperative: First cut haylage harvest is underway. Orchard grass is in full bloom, tonnage is light as most flowered extremely short - only 8 - 12 inches. Most of the silage corn has been planted and has emerged - but it is still just yellow looking spikes due to cold soil temps and too much water in the fields.

MAINE - Marvin Hedstrom, Northern Aroostook: Potatoes and small grains: Rainy weather continued further delaying planting of crops. Growers were able to get on the fields for part of the week. However planting is difficult as wet spots in the field have to be left out and in some cases only portions of fields can be planted. It is getting late to be planting long season varieties of potatoes. Besides being very wet soil temperatures remain too cold for proper germination. Pam Hickey (Ext), Central Aroostook: Farmers were able to get into the fields for a couple of days this week because of rain and overcast weather. Hopefully, this following week will be favorable for planting all crops. A small percentage of grains emerging. Still more to be planted. Let's hope all farmers are busy getting crops in the ground for this predicted sunny week ahead. Albert Dow (NRCS), Piscataquis: Some farmland was under water during the middle of the week. Weather remains cool and no sun to warm up the soil. Growth is slow on many things. Fields are too wet to work. Gleason Gray (Ext), Penobscot: Wet weather continued through the week. Kathy Hopkins (Ext), Somerset: Standing water in fields again. We need sun! Dr. David Yarborough (Ext), Washington: Wild blueberries: Cold wet weather slowing plant development and preventing pollination. Bees are under stress from cold and lack of floral resources. Gary Raymond (FSA), Franklin: Planting conditions are getting seriously bad. There most likely will be some late planting and may be some prevented planting. Hay growth has been slowed due to lack of sun and heat. Hopefully the apple blossoms will hang in there for some late week sun & pollination. Marcia Hall (FSA), Oxford: Oxford County producers are still trying to dry out from last week's rain and cool temperatures. Potted plants have moved from greenhouse to the market. Some Producers are still waiting to plant crops. Pastures are too wet for animals.

MASSACHUSETTS - Arthur Williams (FSA), Berkshire: Weather has still been cool, rain has been spotty in the county ranging from 1/8" to 1 3/4". Subsurface 3" down is dry. Folks continue to be concerned about pollination issues. Some haylage was made in the last week and corn continues to be planted. Some of the emerged corn was brown and yellow spotted from frost. Warmer weather is predicted. Frank Caruso (Ext), Plymouth: Cranberries: The miserable weather (40's and rain) associated with the most recent Nor'easter continued to slow down plant development. Scouting beds for insects was also pointless. Warmer temperatures over the long weekend got things moving again, although we are around two weeks behind the normal schedule. There are beds where growers have already had to spray for black-headed fireworm or gypsy moth larvae feeding on the emerging buds. Apart from that, there has been nothing to be concerned about except for worries about rainfall leaching the pre-emergent herbicides away from their target weeds. Growers are trying to evaluate whether winter moth larvae are feeding on the cranberry buds. These larvae have already caused significant injury to trees in the area. John Devine (FSA), Franklin: Tilling and planting crops. Fruit growers taking a wait and see approach attitude from an earlier frost. Some blocks look okay where some do not have any fruit. Cool and rainy conditions have caused delays in planting schedules. Ted Smiarowski, Jr. (FSA), Hampshire/Hampden: Season temperatures are still below normal. Crop fields have dried out and farmers are planting warm season crops. Harvesting hay, asparagus, spinach and rhubarb. Gary Guida, Worcester: Worst May I can remember! Finally though-a GOOD weather weekend and people came to area farm stands in droves. All us growers needed that boost in sales. Annuals and perennials big sellers. Vegetable plants doing well but most people were struggling to ready there gardens. No strawberries here as that frost burnt first three buds on plants. Hopefully a good weather week as transplanting and direct seeding needs to be done.

NEW HAMPSHIRE - Amy Ouellette (Ext), Belknap: Four inches of rain, one sunny day. Early varieties of strawberries beginning to bloom. Flea beetle outbreak under row covers. Planting schedules in big trouble. Tina Savage (Ext), Carroll: A whole week of wet weather, plantings delayed, sprays missed could be big trouble ahead. Pastures and fields are getting mature. Bees are inactive, luckily blossoms are long lasting. Forecast calls for sun by the middle of the week, here's to hoping it lasts! Carl Majewski (Ext), Cheshire: Lots of cool, rainy weather, but a little bit of sun over the weekend. Most field corn planted, and more fields starting to emerge. No one has started first cutting yet, though orchard grass is beginning to head out. Vegetable growers setting out warm-weather transplants and late sweet corn plantings, crops are growing slowly. Fruit growers trying to keep up with apple scab and mummyberry spray schedules. Warm weather over weekend has brought a spurt of activity at greenhouses. Steve Turaj (Ext), Coos: Weather remains generally cold and wet throughout the week. Corn field preparation and planting continues as best as possible although some fields are too soft to put equipment on. Grass pastures and hayfield growing well in these conditions, should really shoot up with a little sun. New seedings going in. Manure and fertilizing spreading continues. Some more alfalfa and grass winterkill seen and reported. Good time to put in vegetable transplants, some able to do so. Steve Schmidt (FSA), Grafton: Wet weather continues to slow field work, especially hay harvest. Corn is finally emerging, but needs some sun and heat before it will do much. Hay crops continue to grow slowly due to cooler conditions. George Hamilton (Ext), Hillsborough: Apples and pears are at petal fall stage to fruit set stage where later blooming areas in the county are at just starting to see petal fall. With all the rain during the weekend, orchardists had a difficult time applying protective fungicide sprays. Some orchardists started to move bees out of orchards. Blueberries and Strawberries are blooming. Vegetables: Harvesting asparagus and rhubarb. With the rain during week, it was very difficult to do any

field work, including making successive plantings of sweet corn and trying to finish potato planting. Planting first field tomatoes transplants. Field Crops: Difficult to plant and weed spray corn fields with rainy conditions. No haylage chopping was done due to rainy weather. Sadie Puglisi (Ext), Merrimack: Rain and cool weather is delaying everything. The ground is wet and the soil is still cool. Rainy weather was not good for garden center sales. Fruit growers have concern about lack of pollination. Nada Haddad (Ext), Rockingham: Rain, rain, rain. Another wet, cool week. Sun finally came out on Saturday but fields too wet. Trying to lay black plastic in vegetable fields. Plant growth slow because of cool weather. Spraying protective fungicide in orchards and insectides in apple blocks at petal fall. Blight diseases seen in raspberry fields. Repairing equipment and waiting anxiously for dry, warmer days. Geoffrey Njue (Ext), Strafford: A very wet week. It was very difficult to work the soil. Grass on pastures and hayfields is growing well but could benefit from sunlight and higher temperatures. The soils have been too cold and wet. Growers complaining that corn and other vegetables planted several days ago are not germinating. Fruit growers spraying protective sprays for diseases and insect pests. It was a difficult week to spray because there were rains everyday. Plant sales in greenhouses and nurseries have been very slow because people are not going out to buy plants on rainy days. The greenhouse growers are also struggling with fungal diseases like botrytis mould due to wet cool weather.

RHODE ISLAND - Karen Menezes (Ext), Newport: Lots of rain, cold temperatures and high winds during the week, only to open up to some sun and heat over the weekend. Everyone playing catch up, sweet corn, field corn, tomatoes, beans and summer vegetables being planted. Roadside stands racing to fill up benches that were being emptied by customers.

VERMONT - John St. Onge/Kim Peterson (FSA), Lamoille: Some improvement in the weather over the weekend helped the crops to grow. First cut of grass is pending better weather and there are some concerns about yields if the weather doesn't cooperate. Corn planting while somewhat delayed is still moving toward completion. Soybean planting on hold until warmer weather while spring planted barley is doing very well. Dave Blodgett (NRCS), Orleans: Cool, wet weather continues to plague landowners. Farmers are still trying to plant corn. I heard one report of a farmer who had to replant a field of corn due to seed rot. Most farmers have their cows out on pasture now. The wet weather has been good for grass growth but has made conditions muddy in the pastures. Perley Sparrow (FSA), Windham: Several farmers have started mowing this weekend hoping for some better weather. Corn is slow to get started germinated and two leaves and setting there waiting. Hay crop looks a little short with orchard grass headed out and only a foot tall. Veggie growers are having the same problem with the cold weather. Dennis Kauppila (Ext), Caledonia: . Wet and cool. Down pours on Sunday and Monday really topped off a cool wet May. Most of the silage corn is planted, I have not seen any emerged yet. Some milk cows out on pasture, but still not a lot of feed there, and lanes and soil conditions are very soft. I have not seen any first cut hay down. Weather report is looking for some sun and warmth this week, things should begin to grow then. Sherwin Williams, Rutland: Still planting mid season sweet corn. Spraying for weed control. Many crops planted but growing weather very slow. Too cold and cloudy. 0.660 rain for week. Asparagus beginning to come back after frost. Rhubarb on the market. Slow growth on all crops. We need sun and warm weather. George Cook (Ext), Lamoille: Intermittent showers have kept folks busy with field work, with one eye on the sky. Overall, about an inch of rain has been received in the past week. Spring crop work varies from on schedule to being a bit behind. We need warm sun to get things moving.

To receive this report every Monday evening, send an e-mail message to listserv@newsbox.usda.gov and in the body, type subscribe usda-new-eng-crop-weather

Aubrey R. Davis, Director Statistician: Travis Averill Gerald Tillman, Deputy Director Stat Assistant: Deirdre Davis

ADDRESS SERVICE REQUESTED

UNITED STATES DEPARTMENT OF AGRICULTURE NOST OFFICE BOX 1444 CONCORD, NH 03302-1444

PRESORTED FIRST CLASS POSTAGE & FEES PAID USDA PERMIT NO. G-38