

United States Department of Agriculture

National Agricultural Statistics Service New York Field Office



WEATHER AND CROPS July 12, 2010

Cooperating with New York Department of Agriculture and Markets 10B Airline Drive, Albany, New York 12235 (518) 457-5570 · (518) 485-8719 FAX · www.nass.usda.gov

Released, July 12, 2010

Week Ending, July 11, 2010

No. 977-12-10

WEATHER: Temperatures averaged above to well above seasonal levels statewide as a southwest flow around high pressure across the southeast states brought hot and increasingly humid weather to the region. Precipitation amounts were near to above average across central and western New York and below average across much of eastern New York and Long Island. Most of the rain fell Friday into Saturday as a slow moving cold front crossed the state from the west. Showers and thunderstorms preceded and accompanied this front with the areal coverage must numerous across western and central New York and isolated to scattered across eastern portions of the state.

CROPS: There were 6.4 days suitable for fieldwork. Soil moisture was rated 4 percent very short, 22 percent short, 70 percent adequate, and 4 percent surplus. Condition of winter wheat was rated as 1 percent poor, 7 percent fair, 68 percent good, and 24 percent excellent. Oat condition was 1 percent poor, 14 percent fair, 62 percent good, and 23 percent excellent. Hay condition was 3 percent poor, 14 percent fair, 61 percent good, and 22 percent excellent. Ninety-nine percent of the soybeans were planted, behind both the previous year's 100 percent, and the five year average of 100 percent. Alfalfa first cutting was 99 percent completed, ahead of both last year's 90 percent, and the five year average of 95 percent. Ninety-four percent of the clover timothy was harvested, ahead of both last year's 76 percent, and the five year average of 82 percent. Ninety-eight percent of the grass silage was harvested ahead of both last year's 92 percent, and the five year average of 92 percent. Dry beans were 97 percent planted, ahead of last year's 85 percent and ahead of the five year average of 92 percent. The following are comments from throughout the state: Jefferson County had a torrential downpour on Friday that cooled the area down, but the sunny, dry weather during the earlier part of the week provided ideal conditions for dry hay and haylage harvest. Early planted field corn started to push tassels. Dry weather in Lewis County also allowed a great deal of second cut hay to be harvested. Heavy rain over the weekend caused the lodging of some small grains that had not been harvested yet. Hot, humid weather kept producers from staying out too long in St. Lawrence County, and deteriorated crop conditions as well. Some corn was rolling up during the heat of the day, particularly the border rows. Franklin County's corn was greatly improved over the last week with the extremely hot, muggy weather, but the corn on wet, heavy soils had not fared as well. Wheat harvest was proceeding rapidly in Genesee County with good quality and yield reported so far. First cut hay harvest was nearly complete and the second was nearly done on what was harvested for early cut haylage. Ontario County wheat harvest was underway and dry hay continued to be baled. Combining of wheat in Cayuga County started, and the dry weather allowed for baling of good quality straw. Second cut haylage was almost complete, and some corn began to tassel. Dry, hot conditions made for ideal haymaking conditions, and everyone was cutting hay over the last week finishing up second cutting. Earlier planted corn was really helped by the warm temperatures, but later planted corn was showing stress. Soybeans that went in late were looking much more stressed. Rain after the stretch of hot dry weather was very important in Otsego County. Most localities were watered well, and the corn was growing fast. Dry hay production continued in Albany County, and the quality was excellent. Corn was tasseling and could use some rain. In Montgomery and Fulton Counties, farmers were reporting the best haying weather in 10 years. Corn was also looking great with much tasseling out already. Rensselaer County needed some rain, and the corn leaves were starting to roll. Saratoga County was also in need of some rainfall. Field corn leaves were beginning to curl, and second and third cut hay re-growth was being adversely affected. Corn was curling in Washington County and showing the effects of the dry weather in some fields. More rain will be needed to keep crops growing. Some reports from farmers in the southern part of Columbia County indicated that corn had yellowed and most likely died from lack of rainfall. Dry weather conditions continued in Dutchess County, and decreased soil moisture levels over the past week prompted growers to establish drip irrigation systems. Second cutting re-growth was hindered by lack of rainfall, and some corn was beginning to show signs of distress. Extensive dry conditions in Sullivan County limited hay re-growth, and corn started to exhibit early signs of drought stress.

FRUIT: Apples were 1 percent poor, 16 percent fair, 71 percent good, and 12 percent excellent. Grapes were 3 percent poor, 6 percent fair, 47 percent good, and 44 percent excellent. Peaches were 4 percent poor, 13 percent fair, 72 percent good, and 11 percent excellent. Pears were 3 percent poor, 11 percent fair, and 86 percent good. Sweet cherries were 11 percent fair, 85 percent good, and 4 percent excellent. Tart cherries were 1 percent poor, 21 percent fair, 56 percent good, and 22 percent excellent. In the Lake Ontario fruit region, there were continued reports of fire blight in orchards. Peaches were sizing and starting to develop color. In Albany County, apples sized nicely even though the area was dry. The apple crop was variable with some trees in a block having apples while others on the outside had none. Cayuga County blueberry and bramble harvests were in full swing. The Lake Erie grape region saw severe powdery mildew cluster infections, while downy mildew and black rot were kept at bay. The Long Island wine industry experienced one of the longest hot, dry stretches in history. Disease pressure was moderate to low, and insects were spotty. Growers were forced to ratchet up the irrigation, particularly in young plantings with limited root systems.

VEGETABLE: Sweet corn was picked for farmer's markets along with other varieties of produce. Lettuce was 92 percent planted with reported conditions of 7 percent poor, 6 percent fair, 25 percent good, and 62 percent excellent. Onion condition was 23 percent fair, 47 percent good, and 30 percent excellent. Sweet corn was 99 percent planted, up from 97 percent previous week, with conditions of 28 percent fair, 55 percent good, and 17 percent excellent. Cabbage was 98 percent planted, up from 95 percent last week. Snap beans were 89 percent planted and tomatoes are 100 percent planted.

LIVESTOCK: Some pastures were starting to show signs of heat stress. Excessive dry conditions reduced quality of pasture. Grass in pasture was crunchy and limited in growth. Pasture conditions were rated 3 percent very poor, 9 percent poor, 30 percent fair, 49 percent good, and 9 percent excellent.

Weather Data for Week Ending Sunday, July 11, 2010

				~ .	D -					Weather Data for Week Ending Sunday, July 11, 2010										
Temperature (°F)			Growing Degree Days Base 50° ½			Precipitation (Inches) ¹ /														
High	Low	Avg	Dep. from Norm	Week	Season	Dep. from Norm	Week	Dep. from Norm	Season	Dep. from Norm										
96	60	81	+10	218	1350	+329	0.30	-0.42	8.13	-3.05										
95	54	78	+10	201	1132	+257	0.39	-0.24	7.66	-3.11										
102	56	81	+9	215	1439	+366	0.60	-0.31	6.01	-7.04										
89	59	74	+10	173	895	+231	0.24	-0.67	13.32	-1.77										
97	62	80	+11	209	1081	+185	0.35	-0.28	8.45	-1.32										
91	60	78	+11	194	1099	+321	0.94	+0.23	11.30	+1.04										
93	62	79	+11	207	1140	+307	0.89	+0.19	9.79	+0.36										
92	62	77	+7	189	1266	+303	0.48	-0.20	13.52	+2.87										
88	56	74	+7	167	1029	+268	0.80	-0.04	12.31	-0.55										
92	59	77	+8	193	1310	+333	0.47	-0.16	10.61	+0.10										
94	59	78	+9	200	1317	+370	1.26	+0.65	11.25	+1.95										
90	60	77	+10	191	1112	+339	1.11	+0.69	10.16	+1.58										
93	56	76	+6	182	1288	+345	1.14	+0.41	10.94	+0.23										
93	62	78	+9	198	1273	+352	1.10	+0.40	12.12	+1.40										
93	56	76	+6	186	1246	+290	2.06	+1.40	13.90	+3.34										
94	56	77	+9	188	1170	+340	0.93	+0.15	9.24	-2.01										
94	60	79	+10	203	1333	+412	1.40	+0.70	10.32	-0.40										
94	61	80	+10	210	1365	+408	0.67	-0.24	10.96	-0.87										
90	57	74	+9	172	1027	+323	1.46	+0.66	15.70	+3.27										
92	55	75	+10	178	1121	+433	1.14	+0.26	12.47	+0.64										
97	54	77	+9	194	1246	+360	1.14	+0.34	10.64	-0.29										
92	52	73	+8	158	958	+335	1.57	+0.72	12.84	+0.41										
91	54	75	+9	175	1096	+383	1.00	+0.08	12.30	-1.49										
92	60	77	+9	192	1262	+405	0.28	-0.54	10.19	-1.20										
93	59	76	+10	185	1094	+301	0.47	-0.36	9.35	-3.10										
94	58	76	+9	182	1085	+339	0.48	-0.36	13.33	+1.12										
95	34	75	+8	181	1057	+266	0.36	-0.46	11.70	-0.80										
94	57	77	+11	188	1117	+389	0.94	+0.03	11.53	-1.89										
100	61	80	+10	214	1354	+436	0.56	-0.14	6.75	-5.74										
103	73	86	+11		1929	+562	0.01	-0.90	7.13	-5.48										
	96 95 102 89 97 91 93 92 88 92 94 90 93 93 93 94 94 90 92 97 92 91 92 93 94 95 94	High Low 96 60 95 54 102 56 89 59 97 62 91 60 93 62 92 62 88 56 92 59 94 59 90 60 93 56 94 56 94 60 94 61 90 57 92 55 97 54 92 52 91 54 92 52 91 54 92 59 94 58 95 34 94 57 100 61	High Low Avg 96 60 81 95 54 78 102 56 81 89 59 74 97 62 80 91 60 78 93 62 79 92 62 77 88 56 74 92 59 77 94 59 78 90 60 77 93 56 76 94 56 77 94 60 79 94 61 80 90 57 74 92 55 75 97 54 77 92 52 73 91 54 75 92 60 77 93 59 76 94 58 76 94 58 76<	High Low Avg Dep. from from Norm 96 60 81 +10 95 54 78 +10 102 56 81 +9 89 59 74 +10 97 62 80 +11 91 60 78 +11 93 62 79 +11 92 62 77 +7 88 56 74 +7 92 59 77 +8 94 59 78 +9 90 60 77 +10 93 56 76 +6 93 62 78 +9 93 56 76 +6 94 56 77 +9 94 60 79 +10 94 61 80 +10 90 57 74 +9 92	High Low Avg from Norm Week 96 60 81 +10 218 95 54 78 +10 201 102 56 81 +9 215 89 59 74 +10 173 97 62 80 +11 209 91 60 78 +11 194 93 62 79 +11 207 92 62 77 +7 189 88 56 74 +7 167 92 59 77 +8 193 94 59 78 +9 200 90 60 77 +10 191 93 56 76 +6 182 93 62 78 +9 198 93 56 76 +6 186 94 56 77 +9 188 94 60 79 +10 203 94 61 80 +10 210 90 57 74 +9 172 92 55 75 +10 178 97 54 77 +9 194 92 52 73 +8 158 91 54 75 +9 175 92 60 77 +9 194 92 52 73 +8 158 91 54 75 +9 175	High Low Avg Dep. from from Norm Week Season 96 60 81 +10 218 1350 95 54 78 +10 201 1132 102 56 81 +9 215 1439 89 59 74 +10 173 895 97 62 80 +11 209 1081 91 60 78 +11 194 1099 93 62 79 +11 207 1140 92 62 77 +7 189 1266 88 56 74 +7 189 1266 88 56 74 +7 167 1029 92 59 77 +8 193 1310 94 59 78 +9 200 1317 90 60 77 +10 191 1112 93 </td <td> High Low Avg Dep. From Norm Week Season Dep. From Norm Season Norm Season Norm Season Norm Season Norm Season Seas</td> <td>High Low Avg From Norm Week Season Prom Norm Norm Week Season Prom Norm Norm Norm Norm Norm Norm Norm N</td> <td>High Low Avg Dep. from Norm Week Season Season Dep. from Norm Week Season Season Dep. from Norm Week Season Season </td> <td> High Low Avg From Norm Week Season From Norm Norm Season Season Pop. Top. Norm Season Season Norm Norm Season Season Norm Norm Season Season Norm Season Se</td>	High Low Avg Dep. From Norm Week Season Dep. From Norm Season Norm Season Norm Season Norm Season Norm Season Seas	High Low Avg From Norm Week Season Prom Norm Norm Week Season Prom Norm Norm Norm Norm Norm Norm Norm N	High Low Avg Dep. from Norm Week Season Season Dep. from Norm Week Season Season Dep. from Norm Week Season Season	High Low Avg From Norm Week Season From Norm Norm Season Season Pop. Top. Norm Season Season Norm Norm Season Season Norm Norm Season Season Norm Season Se										

^{1/} Season accumulations are for April 1st to date. Weekly accumulations are through 7:00 AM Sunday Morning

The information contained in this weekly release is obtained in cooperation with Cornell Cooperative Extension, USDA Farm Service Agency, the National Weather Service, Agricultural Weather Information Service and other knowledgeable persons associated with New York agriculture. Their cooperation is greatly appreciated.

VISIT OUR WEBSITE AT WWW.NASS.USDA.GOV/NY AND CLICK ON "SUBSCRIBE TO NY REPORTS" FOR INSTRUCTIONS ON FREE ELECTRONIC SUBSCRIPTIONS. YOU MAY ALSO VISIT OUR WEBSITE TO ACCESS ALL OUR REPORTS WHICH ARE AVAILABLE FOR FREE ONLINE.